

## Disk Partition

- Linux allows only 4 primary partitions for PATA or SATA hard disk.
- You can have a much larger number of logical partitions by sub-dividing one of the primary partitions (extended partition). Only one of the primary partitions can be sub-divided.
- fdisk utility only support 16 partitions, if you need more than 16 partitions, other partition utilities like sfdisk.

```
/dev/sda      for primary master
/dev/sdb      for primary slave
/dev/sdc      for secondary master
/dev/sdd      for secondary slave
```

- fdisk is started by typing (as root) fdisk and device name at the command prompt. Device might be something like /dev/hda or /dev/sda

```
fdisk /dev/sdb
```

- The basic fdisk commands you need are:
  - p print the partition table
  - n create a new partition
  - d delete a partition
  - q quit without saving changes
  - w write the new partition table and exit
- Changes you made to the partition table do not take effect until you issue the write (w) command.
- In old Linux systems, to make change in partition take effect (RHEL 4 or older):

```
partprobe
```

## Four primary partitions

- Decide on the size of your swap space and where it ought to be sliced
- Divide up the remaining space for the three other partitions.

### Example:

1. Run terminal and type "fdisk /dev/sdb"

```
fdisk /dev/sdb
Command (m for help): p
Disk /dev/sdb: 64 heads, 63 sectors, 621 cylinders
Units = cylinders of 4032 * 512 bytes
```

2. To create new partition:

```
Command (m for help): n
Command action
  e  extended
  p  primary partition (1-4)
Type p for primary partition
p
Partition number (1-4): 1
First cylinder (1-621, default 1):<RETURN>
Using default value 1
```

```
Last cylinder or +size or +sizeM or +sizeK (1-621, default 621): +500M
```

Next, I set up the partition I want to use for swap:

```
Command (m for help): n
```

```
Command action
```

```
  e  extended
```

```
  p  primary partition (1-4)
```

```
p
```

```
Partition number (1-4): 2
```

```
First cylinder (197-621, default 197):<RETURN>
```

```
Using default value 197
```

```
Last cylinder or +size or +sizeM or +sizeK (197-621, default 621): +2G
```

Now the partition table looks like this:

Device	Boot	Start	End	Blocks	Id	System
/dev/sdb1		1	196	395104	83	Linux
/dev/sdb2		197	262	133056	83	Linux

3. Set up the remaining partitions the same way I did the first. Finally, it's time to change partition to be bootable:

```
Command (m for help): a
```

```
Partition number (1-4): 1
```

4. Converting sdb2 to swap partition

```
Command (m for help): t
```

```
Partition number (1-4): 2
```

```
Hex code (type L to list codes): 82
```

```
Changed system type of partition 2 to 82 (Linux swap)
```

5. The end result:

```
Command (m for help): p
```

```
Disk /dev/sdb: 64 heads, 63 sectors, 621 cylinders
```

```
Units = cylinders of 4032 * 512 bytes
```

Device	Boot	Start	End	Blocks	Id	System
/dev/sdb1	*	1	196	395104+	83	Linux
/dev/sdb2		197	262	133056	82	Linux swap
/dev/sdb3		263	458	395136	83	Linux
/dev/sdb5		459	621	328608	83	Linux

6. Finally, press 'w' to save and exit from fdisk command.

7. To make change take effect without rebooting in RHEL v4 or older systems.

```
partprobe    #new system does not require this command
```

## File system Management

### Making filesystem

```
mke2fs [options] /dev/<hd_>
```

[Options]

-b	block size in bytes
-c	interval
-l	interval
-L	Volume label
-j	ext3 journaling

mount command

```
mount [-t fstype] [options] <device/network> mountpoint
```

To mount all devices in fstab

```
mount -a
```

To unmount all devices in fstab (Do not run it)

```
umount -a
```

To display what or who is acting on mount\_point (say /backup)

```
fuser -v /backup
```

To kill the user/process on mount\_point (say /backup)

```
fuser -km /backup
```

Re-mounting file system say /dev/sda1 as read/write, currently mounted as read-only. Say: root partition i.e. / is mounted in read-only mode.

```
mount -o remount,rw /dev/sda1 /
```

### Labeling file systems

To set disk label of /dev/sda7 to dbdisk

```
e2label /dev/sda7 dbdisk
```

To view label of /dev/sda7

```
e2label /dev/sda7
```

mount file system using label

```
mount -t vfat -o uid=515,gid=515 LABEL=dbdisk /mnt/dbdisk
```

To mount already mounted filesystem as another

```
mount --bind /mnt/dbdisk /mnt/dbdisk_new
```

To show the share folders of nfs server (say: 192.168.0.100)

```
showmount -e 192.168.0.100
```

To show the share point of windows file share or SMB (say: 192.168.0.2 and user admin)

```
smbclient -L 192.168.0.2 -U admin
```

To mount nfs share directories (Say 192.168.0.2 is also sharing /bkp through nfs)

```
mount -t nfs 192.168.0.2:/nfs /mnt/
```

To mount samba shared directories (say share is shared via Samba service)

```
mount -t cifs //192.168.0.2/share /mnt/remote_smb
```

### About /etc/fstab

It is the file from where Linux system reads the file system information on startup.

Adding /dev/sdb1 in fstab

```
cat >> /etc/fstab
    /dev/sdb1    /backup    ext4    defaults    0    0
Press ctrl+d to save and exit from cat command mode.
```

Adding virtual memory (via fstab)

```
mkswap /dev/sda2
cat >> /etc/fstab #adding swap partition in fstab
    /dev/sda2    swap    swap    defaults    0    0
Press ctrl+d to save and exit from cat command mode
swapon -a #reads swap information from /etc/fstab
swapon -s # displays swap usage summary by device.
```

To create swap file

```
dd if=/dev/zero of=/swapfile bs=1024K count=1024
mkswap /swapfile
cat >>/etc/rc.d/rc.local
    swapon /swapfile
Press ctrl+d to save and exit from cat command mode
```

## Quota Management

### Configuring Disk Quotas

To implement disk quotas, use the following steps:

1. Enable quotas per file system by modifying the /etc/fstab file.
2. Remount the file system(s).
3. Create the quota database files and generate the disk usage table.
4. Assign quota policies.

Enabling Quota for /dev/sdb1 (use vi /etc/fstab to edit file)

```
In /etc/fstab modify and add usrquota and/or grpquota options
/dev/sdb1    /backup    ext4    defaults,usrquota,grpquota    0    0
```

Creating the Quota Database Files

```
quotacheck -cug /backup
```

Assigning Quotas per User (say: shiba)

```
edquota shiba
Disk quotas for user shiba (uid 500):
Filesystem    blocks    soft    hard    inodes    soft    hard
/dev/sdb1     440436   48576   1048576  37418     0     0
```

Where:

**soft limit (for blocks)** is size in KB which is prompted as warning message for limiting quota

**hard limit(for blocks)** is the size in KB, when files size of used reaches to size of hard limit, not more data or files can be added by the user in the particular disk.

Similarly, **inodes** represents numbers of files that a user can created.

Checking status of quota

```
quota shiba  
repquota /dev/sdb1 #reporting quota status of all users in /dev/sdb1
```

*Note: /etc/rc.d/rc.local is always runs at the os boot process, before user login*

Further study:

- [http://tldp.org/HOWTO/Partition/fdisk\\_partitioning.html](http://tldp.org/HOWTO/Partition/fdisk_partitioning.html)
- [https://access.redhat.com/documentation/en-US/Red\\_Hat\\_Enterprise\\_Linux/6/html/Storage\\_Administration\\_Guide/ch-disk-quotas.html#s1-disk-quotas-configuring](https://access.redhat.com/documentation/en-US/Red_Hat_Enterprise_Linux/6/html/Storage_Administration_Guide/ch-disk-quotas.html#s1-disk-quotas-configuring)
- [http://www.linuxhomenetworking.com/wiki/index.php/Quick\\_HOWTO : Ch28 : Managing\\_Disk\\_Usage\\_with\\_Quotas#Create\\_The\\_Partition\\_Quota\\_Configuration\\_Files](http://www.linuxhomenetworking.com/wiki/index.php/Quick_HOWTO:_Ch28:_Managing_Disk_Usage_with_Quotas#Create_The_Partition_Quota_Configuration_Files)